

Notes on Norwegian Coleoptera 5

Bjørn A. Sagvolden & Lars Ove Hansen

Sagvolden, B.A. & Hansen, L.O. 2001. Notes on Norwegian Coleoptera 5. *Norw. J. Entomol.* 48, 281-287.

The following seven species of Coleoptera are recorded for the first time in Norway: *Cercyon bifenestratus* Kuster, 1851 (Hydrophilidae), *Stenus pallitarsis* Stephens, 1833, *Ocalea badia* Erichson, 1837 (Staphylinidae), *Dermestes haemorrhoidalis* (Küster, 1852) (Dermestidae), *Scymnus ater* (Kugellann, 1794) (Coccinellidae), *Melandrya barbata* (Fabricius, 1787) (Melandryidae) and *Otiorhynchus rugosostriatus* (Goeze, 1777) (Curculionidae). The complex of the two sibling species *Anthonomus brunnipennis* Curtis, 1840 and *A. rubi* Herbst, 1795 (Curculionidae) are revised. Noteworthy records are given for the following species: *Porotachys bisulcatus* (Nicolai, 1822), *Bradycellus verbasci* (Duftschmid, 1812), *Perigona nigriceps* (Dejean, 1831) (Carabidae), *Gabrius tirolensis* (Luze, 1903), *Deleaster dichroeus* (Gravenhorst, 1802) (Staphylinidae), *Prionocyphon serraticornis* (Müller, 1821) (Scirtidae), *Gymnetron melanarium* (Germar, 1821) and *Xyleborinus saxeseni* (Ratzeburg, 1837) (Curculionidae).

Key words: Coleoptera, geographical range, sibling species, new species in Norway.

Bjørn Arve Sagvolden, NO-3626 Rollag, Norway. E-mail: bas@c2i.net.

Lars Ove Hansen, Zoological Museum, Univ. of Oslo, POBox 1172 Blindern, NO-0318 Oslo, Norway.