

First report of the fungal entomopathogen *Paecilomyces* Bainier (Deuteromycota: Hyphomycetes) in Norway

Guy Mercadier, May-Guri Sæthre & Fernando E. Vega

Mercadier, G., Sæthre, M.-G. & Vega, F. E. 2002. First report of the fungal entomopathogen *Paecilomyces* Bainier (Deuteromycota: Hyphomycetes) in Norway. *Norw. J. Entomol.* 49, 71-73.

A search for natural enemies of the codling moth, *Cydia pomonella* L., was conducted in Norway in an attempt to find potential biological control agents. The fungal entomopathogen *Paecilomyces farinosus* was isolated from insects collected in nine locations. This is the first report for the genus *Paecilomyces* in Norway.

Key words: *Paecilomyces*, *Cydia*, biocontrol, entomopathogens, fungi.

Guy Mercadier, European Biological Control Laboratory, USDA, ARS, Campus International de Baillarguet, F-90013 Montferrier-sur-Lez, France.

May-Guri Sæthre, The Norwegian Crop Research Institute, Plant Protection Centre, Department of Entomology and Nematology, Høgskoleveien 7, N-1432 Ås, Norway. [Current address: IITA, c/o L.W. Lambourn & Co., Carolyn House 26 Dingwall Rd. Croydon, CR9 3EE UK].

Fernando E. Vega, Insect Biocontrol Laboratory, USDA, ARS, Building 011A, BARC-West, Beltsville, Maryland 20705 USA [To whom requests for reprints should be addressed.] E-mail: vegaf@ba.ars.usda.gov.